ENVIRONMENTAL CLEANING & OIL SPILL RESPONSE EQUIPMENT

Presented by:
ATCO GAS OIL SERVICES LTD

---

1. Introduction

Oil spills are among the most serious environmental incidents associated with petroleum exploration, production, transportation, storage, and distribution. When crude oil or petroleum products are released into the environment, they can contaminate soil, surface water, groundwater, wetlands, vegetation, and coastal or aquatic ecosystems.

Effective oil-spill response therefore requires specialized **containment, recovery, cleaning, waste-management, and environmental remediation equipment**.

The purpose of this presentation is to introduce the major equipment used for oil-spill response and environmental cleaning, explain their applications, and demonstrate how they work together during an emergency response operation.

---

2. Objectives

The main objectives of oil-spill environmental cleaning equipment are to:

- Quickly contain the spilled petroleum product.
- Prevent further spreading of the contamination.
- Recover free oil from land and water.
- Remove contaminated materials.
- Protect workers and the surrounding environment.
- Minimize damage to ecosystems and infrastructure.
- Collect and safely store contaminated waste.
- Support soil and water remediation.
- Restore affected areas to an acceptable environmental condition.

---

3. Oil Spill Response Process

A professional oil-spill response normally follows a structured sequence:

Detection → Assessment → Containment → Recovery → Cleaning → Waste Management → Remediation → Monitoring → Site Restoration

The equipment selected depends on the type of petroleum product, spill volume, location, terrain, weather, environmental sensitivity, and accessibility of the affected area.

---

4. Major Oil Spill Containment Equipment

4.1 Oil Spill Containment Booms

Oil containment booms are floating barriers designed to control and contain oil on water.

Main applications:

- Rivers and lakes
- Ports and terminals
- Offshore operations
- Oil-loading facilities
- Drainage channels
- Wetlands and sensitive areas

Common types:

- Inflatable booms
- Foam-filled booms
- Curtain booms
- Fence booms
- Sorbent booms

Function:

The boom limits the horizontal movement of oil, allowing responders to concentrate the contaminated area and recover the oil more efficiently.

4.2 Sorbent Booms

Sorbent booms are designed to absorb petroleum products while providing limited containment.

They are particularly useful around:

- Small spills
- Fuel stations
- Workshops
- Tank farms
- Machinery
- Drainage areas
- Shorelines

---

5. Oil Absorbent Materials

Sorbent materials are used to absorb and recover oil from contaminated surfaces.

Examples include:

- Oil absorbent pads
- Absorbent rolls
- Absorbent mats
- Oil-only pillows
- Absorbent socks
- Granular absorbents
- Loose sorbent materials

Important characteristic

Oil-only sorbents are designed to preferentially absorb hydrocarbons while minimizing water uptake, making them particularly useful for spills occurring on water.

Used sorbents must be collected, stored, transported, and disposed of or treated according to applicable environmental and waste-management requirements.

---

6. Oil Skimmers

Oil skimmers are mechanical devices used to recover floating oil from the surface of water.

Common types:

Weir Skimmers
Use a weir to allow oil and a small amount of water to flow into a collection system.

Oleophilic Skimmers
Use materials such as discs, brushes, belts, or drums that attract oil and remove it from the water.

Vacuum Skimmers
Use suction to recover oil from the water surface.

Applications:

- Oil terminals
- Lakes and rivers
- Spill ponds
- Offshore operations
- Tank farms
- Industrial wastewater areas

---

7. Vacuum Recovery Systems

Vacuum trucks and portable vacuum recovery systems are used to remove:

- Free oil
- Oily water
- Sludge
- Contaminated liquids
- Tank residues
- Spill-site liquids

Vacuum recovery is particularly useful where contaminated liquids have accumulated in low areas, containment pits, drainage systems, or storage tanks.

---

8. Oil Spill Pumps

Pumps transfer recovered oil and contaminated liquids from the spill location to temporary or permanent storage.

Common pump types:

- Diaphragm pumps
- Pneumatic pumps
- Centrifugal pumps
- Positive-displacement pumps
- Hydraulic pumps

For hazardous petroleum environments, equipment selection must consider **flammability, electrical classification, static electricity, chemical compatibility, and operating conditions**.

---

9. Temporary Oil Storage Equipment

Recovered oil and oily water require secure temporary storage before treatment, recycling, or disposal.

Equipment includes:

- Portable storage tanks
- Bladder tanks
- Steel storage tanks
- Intermediate bulk containers (IBCs)
- Drums
- Oil recovery tanks
- Temporary containment pools

Storage systems should have appropriate secondary containment to reduce the risk of secondary releases.

---

10. High-Pressure Cleaning Equipment

High-pressure washers are used to remove petroleum contamination from:

- Concrete
- Equipment
- Vehicles
- Industrial surfaces
- Storage areas
- Paved surfaces

Hot-water pressure washing may improve removal of heavy petroleum residues, but wastewater generated during cleaning must be collected and properly treated rather than discharged directly into the environment.

---

11. Industrial Vacuum Cleaners

Industrial wet/dry vacuum systems are useful for collecting:

- Oily residues
- Contaminated water
- Absorbent materials
- Sludge
- Small quantities of contaminated soil
- Cleaning wastewater

For hazardous locations, the equipment must be appropriately rated for the environment in which it will operate.

---

12. Excavators and Earthmoving Equipment

For significant land-based spills, contaminated soil may need to be excavated and transported to an approved treatment or disposal area.

Equipment includes:

- Excavators
- Backhoe loaders

- Bulldozers
- Wheel loaders
- Skid-steer loaders
- Dump trucks

Excavation should be controlled carefully to avoid spreading contamination to clean areas.

---

13. Soil Remediation Equipment

Contaminated soil can be treated using several technologies depending on the contaminant and site conditions.

Common approaches include:

- Bioremediation
- Soil washing
- Landfarming
- Soil vapor extraction
- Thermal treatment
- Excavation and off-site treatment

Bioremediation

Bioremediation uses naturally occurring or selected microorganisms to break down petroleum hydrocarbons under suitable environmental conditions.

Equipment and supporting systems may include:

- Soil aeration equipment
- Mixing equipment
- Nutrient application systems
- Moisture-control systems
- Monitoring instruments

---

14. Oil-Water Separation Equipment

Oil-water separators are used to separate free oil from contaminated water.

Common systems include:

- Gravity separators
- API separators
- Coalescing plate separators
- Hydrocyclones
- Dissolved-air flotation systems

These systems are commonly used at:

- Oil terminals
- Workshops
- Refineries
- Fuel depots
- Industrial facilities
- Spill-response treatment areas

The separated oil can be recovered for appropriate handling, while treated water must meet applicable discharge or reuse requirements.

---

15. Waste Collection Equipment

Oil-spill cleanup generates contaminated materials that require controlled collection.

Equipment includes:

- Waste drums
- UN-rated containers where required
- IBCs
- Waste skips
- Leak-proof containers
- Hazardous-waste bags
- Temporary waste storage units

- Secondary containment pallets

All contaminated waste should be properly identified, segregated, documented, and managed according to applicable regulations.

---

16. Personal Protective Equipment (PPE)

Worker protection is a critical part of every oil-spill response operation.

PPE may include:

- Chemical-resistant gloves
- Safety boots
- Coveralls
- Chemical-resistant clothing
- Safety goggles
- Face shields
- Hard hats
- Respiratory protection where required
- High-visibility vests
- Chemical-resistant aprons
- Personal flotation devices for water operations

PPE selection should be based on the specific hazards identified through a risk assessment and chemical exposure assessment.

---

17. Gas Detection and Environmental Monitoring Equipment

Oil-spill response teams may encounter toxic or flammable vapors.

Monitoring equipment includes:

- Multi-gas detectors
- Hydrocarbon vapor detectors
- Oxygen monitors
- VOC monitoring instruments

- Air-quality monitors
- Water-quality meters
- pH meters
- Dissolved oxygen meters
- Oil-in-water analyzers

These instruments help responders identify hazardous atmospheres and assess environmental conditions.

---

18. Fire and Emergency Response Equipment

Because many petroleum products are flammable, oil-spill operations must consider fire hazards.

Equipment may include:

- Fire extinguishers
- Fire hoses
- Fire pumps
- Foam firefighting systems
- Fire blankets
- Emergency showers
- Eyewash stations
- Emergency communication equipment

Fire protection requirements should be determined through a site-specific hazard assessment.

---

19. Spill Response Trailers and Mobile Units

A complete oil-spill response trailer can contain essential equipment that can be transported rapidly to an incident location.

Typical contents:

- Oil booms
- Sorbent pads

- Sorbent socks
- Skimmers
- Pumps
- Hoses
- Storage drums
- Hand tools
- PPE
- Waste bags
- Portable tanks
- Warning signs
- Lighting equipment
- Emergency response materials

Mobile response units reduce response time and improve preparedness.

---

20. Shoreline and Land Spill Cleaning Tools

For small and medium land spills, responders may use:

- Shovels
- Rakes
- Brooms
- Squeegees
- Scrapers
- Absorbent pads
- Oil socks
- Hand pumps
- Portable vacuum systems
- Portable pressure washers

Manual tools remain important because they allow controlled cleanup in environmentally sensitive or difficult-to-access locations.

21. Environmental Restoration Equipment

After the petroleum contamination has been removed, restoration may involve:

- Soil replacement
- Grading equipment
- Topsoil spreading
- Vegetation restoration
- Erosion-control materials
- Water treatment systems
- Monitoring instruments

The objective is not simply to remove visible oil but to restore the affected environment to an appropriate and sustainable condition.

22. Oil Spill Response Equipment Selection

Equipment should be selected according to:

Spill characteristics

- Type of petroleum product
- Volume spilled
- Viscosity
- Weathering condition
- Flash point and other relevant hazards

Environmental conditions

- Land or water
- River, lake, wetland, or shoreline
- Soil type
- Weather
- Wind and currents
- Ecological sensitivity

Operational requirements

- Spill size
- Accessibility
- Required response time
- Availability of power and water
- Waste-management capacity
- Personnel and equipment capability

---

23. Basic Oil Spill Response Equipment Package

A practical emergency response package can contain:

Equipment	Primary Function
Containment boom	Controls oil movement
Sorbent pads	Absorbs surface oil
Sorbent socks	Controls and absorbs oil
Oil skimmer	Recovers floating oil
Pump	Transfers recovered liquids
Vacuum system	Removes oily liquids/sludge
Storage tank	Temporarily stores recovered product
Oil-water separator	Separates oil from water
Pressure washer	Cleans contaminated surfaces
Waste containers	Stores contaminated materials
Excavator	Removes contaminated soil
Gas detector	Detects hazardous atmospheres
PPE	Protects workers

Equipment	Primary Function
Fire extinguishers	Controls fire emergencies
Water-quality instruments	Monitors environmental conditions

---

24. Integrated Oil Spill Response System

An effective response is achieved by integrating equipment rather than relying on a single machine.

Example:

For Water spills:

Containment Boom
↓
Oil Skimmer
↓
Pump
↓
Temporary Storage Tank
↓
Oil-Water Separation/Treatment
↓
Recovered Oil Management
↓
Waste Treatment or Disposal

For land spills:

Spill Assessment
↓
Containment
↓
Sorbent Recovery
↓
Contaminated Soil Excavation
↓
Soil Treatment
↓
Environmental Monitoring

↓

Site Restoration

---

25. Safety Considerations

Oil-spill cleanup operations can expose workers to significant hazards.

Before commencing work, response teams should conduct:

- Risk assessment
- Job Safety Analysis (JSA)
- Hazard identification
- Emergency planning
- Gas testing where necessary
- PPE assessment
- Equipment inspection
- Fire-risk assessment
- Waste-management planning

Only trained and competent personnel should operate specialized equipment.

---

26. Environmental Considerations

The objective of an oil-spill response is to remove contamination while avoiding additional environmental damage.

Responders should therefore:

- Prevent secondary contamination.
- Minimize unnecessary soil disturbance.
- Protect waterways.
- Avoid uncontrolled wastewater discharge.
- Properly manage contaminated waste.
- Monitor treated areas.

- Document recovered petroleum and waste quantities.
- Follow applicable environmental regulations and approved response plans.

---

27. Maintenance and Readiness

Oil-spill response equipment must be maintained and ready for immediate deployment.

Regular inspection should include:

- Pumps
- Hoses
- Booms
- Skimmers
- Generators
- Vacuum systems
- Storage tanks
- PPE
- Gas detectors
- Fire equipment

Emergency equipment should be periodically tested, inventoried, cleaned, and replaced where damaged or expired.

---

28. Conclusion

Environmental oil-spill cleaning requires a coordinated combination of **containment, recovery, cleaning, waste-management, monitoring, and remediation equipment**.

The most effective response is one that rapidly stops the spread of oil, safely recovers petroleum, protects workers and sensitive ecosystems, properly manages contaminated waste, and restores the affected environment.

A professional oil-spill response system should therefore focus on:

PREVENTION → PREPAREDNESS → RAPID RESPONSE → CONTAINMENT → RECOVERY → CLEANUP → REMEDIATION → RESTORATION

Investment in appropriate oil-spill equipment, trained personnel, maintenance, emergency planning, and environmental monitoring significantly improves an organization's ability to respond effectively to petroleum contamination incidents.

Final Message

“Effective oil-spill response is not only about cleaning oil—it is about protecting people, water, soil, ecosystems, and the future.”